

L Number	Hits	Search Text	DB	Time stamp
-	696	713/400.ccls.	USPAT; EPO; DERWENT	2004/05/03 09:50
-	2	("6691214").PN.	USPAT; EPO; DERWENT	2004/04/20 12:19
-	2	("6687840").PN.	USPAT; EPO; DERWENT	2004/04/20 12:49
-	2	("6643787").PN.	USPAT; EPO; DERWENT	2004/04/20 12:58
-	2	("6636978").PN.	USPAT; EPO; DERWENT	2004/04/20 13:26
-	2	("6621882").PN.	USPAT; EPO; DERWENT	2004/04/20 13:26
-	1	(worst\$1case adj1 delay) near2 circuitry	USPAT; EPO; DERWENT	2004/04/26 14:55
-	145	(worst\$1case adj1 delay)	USPAT; EPO; DERWENT	2004/04/26 14:55
-	2594	channel adj2 delay	USPAT; EPO; DERWENT	2004/04/29 09:14
-	355	(channel adj2 delay) same determin\$5	USPAT; EPO; DERWENT	2004/04/29 09:18
-	348	(channel adj2 delay) same determin\$5	USPAT; EPO; DERWENT	2004/04/29 09:18
-	106	(channel adj2 delay) same calculat\$3	USPAT; EPO; DERWENT	2004/04/29 09:18
-	154	(channel adj2 delay) with determin\$5	USPAT; EPO; DERWENT	2004/04/29 15:05
-	1	(latch\$3) near4 (early adj1 bit\$1)	USPAT; EPO; DERWENT	2004/04/29 15:06
-	810	(select\$3) near6 (respon\$4 near3 delay)	USPAT; EPO; DERWENT	2004/04/29 15:42
-	25	((select\$3) near6 (respon\$4 near3 delay)) and 713/\$.ccls.	USPAT; EPO; DERWENT	2004/04/29 15:39
-	1285	(switch\$3) near6 (respon\$4 near3 delay)	USPAT; EPO; DERWENT	2004/04/29 15:39
-	10	((switch\$3) near6 (respon\$4 near3 delay)) and 713/\$.ccls.	USPAT; EPO; DERWENT	2004/04/29 15:39
-	65	multiplexer near6 (respon\$4 near3 delay)	USPAT; EPO; DERWENT	2004/04/29 15:47
-	1303	deskew\$3	USPAT; EPO; DERWENT	2004/04/29 15:57
-	69	deskew\$3 and 713/\$.ccls.	USPAT; EPO; DERWENT	2004/04/29 15:48
-	655	deskew\$3 and delay	USPAT; EPO; DERWENT	2004/04/29 15:57
-	339	deskew\$3 same delay	USPAT; EPO; DERWENT	2004/04/29 15:57
-	268	deskew\$3 with delay	USPAT; EPO; DERWENT	2004/04/29 16:09

-	9	(select\$3 near3 path) near8 (respon\$3 near3 delay)	USPAT; EPO; DERWENT	2004/04/29 16:12
-	1656	align\$4 near4 bus	USPAT; EPO; DERWENT	2004/04/29 16:13
-	66	(align\$4 near4 bus) same delay	USPAT; EPO; DERWENT	2004/04/29 16:21
-	1	(stor\$3) near4 (early adj1 bits)	USPAT; EPO; DERWENT	2004/04/29 16:23
-	2	(delay\$3) near4 (early adj1 bits)	USPAT; EPO; DERWENT	2004/04/29 16:28
-	89	(select\$3 near3 clock) with (respon\$4 near4 delay)	USPAT; EPO; DERWENT	2004/04/29 16:43
-	125	clock near3 (function near2 delay)	USPAT; EPO; DERWENT	2004/04/29 16:43
-	359	(\$2skew\$3 near4 data) same (flip-flop\$1 or latch\$2)	USPAT; EPO; DERWENT	2004/05/03 09:51
-	62	(((\$2skew\$3 near4 data) same (flip-flop\$1 or latch\$2)) and 713/\$.ccls.	USPAT; EPO; DERWENT	2004/05/03 11:28
-	644	(captur\$3 near3 data) near4 (flip-flop\$1 or latch\$2)	USPAT; EPO; DERWENT	2004/05/03 11:29
-	49	((captur\$3 near3 data) near4 (flip-flop\$1 or latch\$2)) and 713/\$.ccls.	USPAT; EPO; DERWENT	2004/05/03 11:29
-	40	((((captur\$3 near3 data) near4 (flip-flop\$1 or latch\$2)) and 713/\$.ccls.) not (((\$2skew\$3 near4 data) same (flip-flop\$1 or latch\$2)) and 713/\$.ccls.)	USPAT; EPO; DERWENT	2004/05/03 11:45
-	4	("5608896" "5692165" "5872959" "5923198").PN.	USPAT	2004/05/03 11:38
-	2	6105144.URPN.	USPAT	2004/05/03 11:41
-	0	(clock near2 receiver) near6 (function near2 delay)	USPAT; EPO; DERWENT	2004/05/03 11:56
-	0	(clock near2 receiver) near8 (function near2 delay)	USPAT; EPO; DERWENT	2004/05/03 11:46
-	0	(clock near2 receiver) with (function near2 delay)	USPAT; EPO; DERWENT	2004/05/03 11:46
-	4	(clock near2 latch) with (function near2 delay)	USPAT; EPO; DERWENT	2004/05/03 11:47
-	1	(clock near2 flip-flop\$1) with (function near2 delay)	USPAT; EPO; DERWENT	2004/05/03 11:47
-	5	(clock near2 flip-flop\$1) with (depend\$3 near2 delay)	USPAT; EPO; DERWENT	2004/05/03 11:50
-	0	(clock near2 flip-flop\$1) with (respond\$3 near2 delay)	USPAT; EPO; DERWENT	2004/05/03 11:51
-	0	(clock near2 flip-flop\$1) with (respond\$3 near5 delay)	USPAT; EPO; DERWENT	2004/05/03 11:50
-	6	(clock near2 flip-flop\$1) with (depend\$3 near5 delay)	USPAT; EPO; DERWENT	2004/05/03 11:51
-	1	((clock near2 flip-flop\$1) with (depend\$3 near5 delay)) not ((clock near2 flip-flop\$1) with (depend\$3 near2 delay))	USPAT; EPO; DERWENT	2004/05/03 11:50

-	1	(clock near4 flip-flop\$1) with (respond\$3 near5 delay)	USPAT; EPO; DERWENT	2004/05/03 11:51
-	16	(clock near4 flip-flop\$1) with (depend\$3 near5 delay)	USPAT; EPO; DERWENT	2004/05/03 11:54
-	34	(clock near4 flip-flop\$1) with (bas\$2 near5 delay)	USPAT; EPO; DERWENT	2004/05/03 11:54
-	230	(clock near2 receiver) near8 delay	USPAT; EPO; DERWENT	2004/05/03 13:24
-	13	((clock near2 receiver) near8 delay) and deskew\$3	USPAT; EPO; DERWENT	2004/05/03 11:57
-	6	("3518625" "4637018" "4700347" "4755704" "4841551" "4977582").PN.	USPAT	2004/05/03 12:57
-	31	5313501.URPN.	USPAT	2004/05/03 12:58
-	13	((clock near2 receiver) near8 delay) and (align\$4 near4 data)	USPAT; EPO; DERWENT	2004/05/03 13:10
-	10	((clock near2 receiver) near8 delay) and (align\$4 near4 data) not (((clock near2 receiver) near8 delay) and deskew\$3)	USPAT; EPO; DERWENT	2004/05/03 13:07
-	0	((clock near2 receiver) near8 delay) and (alleviat\$3 near4 skew)	USPAT; EPO; DERWENT	2004/05/03 15:15
-	22	((clock near2 receiver) near8 delay) and (reduc\$4 near4 skew)	USPAT; EPO; DERWENT	2004/05/03 13:13
-	15	((clock near2 receiver) near8 delay) and (reduc\$4 near4 skew) not (((clock near2 receiver) near8 delay) and deskew\$3) or (((clock near2 receiver) near8 delay) and (align\$4 near4 data) not (((clock near2 receiver) near8 delay) and deskew\$3)))	USPAT; EPO; DERWENT	2004/05/03 13:11
-	4	((clock near2 receiver) near8 delay) and (decreas\$3 near4 skew)	USPAT; EPO; DERWENT	2004/05/03 13:15
-	5	((clock near2 receiver) near8 delay) and (eliminat\$3 near4 skew)	USPAT; EPO; DERWENT	2004/05/03 13:20
-	6	((clock near2 receiver) near8 delay) and (minimiz\$5 near4 skew)	USPAT; EPO; DERWENT	2004/05/03 13:21
-	1194	(clock near4 latch) with delay	USPAT; EPO; DERWENT	2004/05/03 16:01
-	19	((clock near4 latch) with delay) and deskew\$3	USPAT; EPO; DERWENT	2004/05/03 15:01
-	6	("3118111" "3204228" "3327299" "3660647" "3961270" "4218654").PN.	USPAT	2004/05/03 14:59
-	18	4481647.URPN.	USPAT	2004/05/03 15:00
-	59	((clock near4 latch) with delay) and (align\$4 near4 data)	USPAT; EPO; DERWENT	2004/05/03 15:01
-	0	((clock near2 latch\$2) with delay) and (alleviat\$3 near4 skew)	USPAT; EPO; DERWENT	2004/05/03 16:12
-	38	((clock near2 latch\$2) with delay) and (reduc\$4 near4 skew)	USPAT; EPO; DERWENT	2004/05/03 15:24
-	33	((clock near2 latch\$2) with delay) and (reduc\$4 near4 skew) not (((clock near4 latch) with delay) and (align\$4 near4 data))	USPAT; EPO; DERWENT	2004/05/03 15:17
-	5	((clock near2 latch\$2) with delay) and (decreas\$3 near4 skew)	USPAT; EPO; DERWENT	2004/05/03 15:33

-	12	((clock near4 latch\$2) with delay) and (decreas\$3 near4 skew)	USPAT; EPO; DERWENT	2004/05/03 15:32
-	4	((clock near4 latch\$2) with delay) and (lower\$3 near4 skew)	USPAT; EPO; DERWENT	2004/05/03 16:19
-	47	((clock near4 latch\$2) with delay) and (eliminat\$4 near4 skew)	USPAT; EPO; DERWENT	2004/05/03 15:41
-	73	((clock near4 latch\$2) with delay) and (minimiz\$5 near4 skew)	USPAT; EPO; DERWENT	2004/05/03 15:47
-	67	((clock near4 latch\$2) with delay) and (compensat\$3 near4 variation\$1)	USPAT; EPO; DERWENT	2004/05/03 15:52
-	44	((clock near4 latch\$2) with delay) and (compensat\$3 near4 variation\$1)) not (((clock near4 latch\$2) with delay) and (eliminat\$4 near4 skew)) or (((clock near4 latch\$2) with delay) and (minimiz\$5 near4 skew)) or (((clock near2 latch\$2) with delay) and (reduc\$4 near4 skew)) not (((clock near4 latch) with delay) and (align\$4 near4 data))) or (((clock near2 latch\$2) with delay) and (reduc\$4 near4 skew)) or (((clock near4 latch) with delay) and (align\$4 near4 data)))	USPAT; EPO; DERWENT	2004/05/03 15:47
-	41	((clock near4 latch\$2) with delay) and (variation\$1 near4 propagation)	USPAT; EPO; DERWENT	2004/05/03 15:52
-	34	((clock near4 latch\$2) with delay) and (variation\$1 near4 propagation)) not (((clock near4 latch\$2) with delay) and (compensat\$3 near4 variation\$1)) not (((clock near4 latch\$2) with delay) and (eliminat\$4 near4 skew)) or (((clock near4 latch\$2) with delay) and (minimiz\$5 near4 skew)) or (((clock near2 latch\$2) with delay) and (reduc\$4 near4 skew)) not (((clock near4 latch) with delay) and (align\$4 near4 data))) or (((clock near2 latch\$2) with delay) and (reduc\$4 near4 skew)) or (((clock near4 latch) with delay) and (align\$4 near4 data)))	USPAT; EPO; DERWENT	2004/05/03 15:52
-	2175	(clock near4 flip-flop\$1) with delay	USPAT; EPO; DERWENT	2004/05/03 16:02
-	24	((clock near4 flip-flop\$1) with delay) and deskew\$3	USPAT; EPO; DERWENT	2004/05/03 16:06
-	85	((clock near4 flip-flop\$1) with delay) and (align\$4 near4 data)	USPAT; EPO; DERWENT	2004/05/03 16:06
-	0	((clock near4 flip-flop\$1) with delay) and (alleviat\$3 near4 skew)	USPAT; EPO; DERWENT	2004/05/03 16:13
-	75	((clock near4 flip-flop\$1) with delay) and (reduc\$4 near4 skew)	USPAT; EPO; DERWENT	2004/05/03 16:18
-	64	((clock near4 flip-flop\$1) with delay) and (reduc\$4 near4 skew)) not (((clock near4 flip-flop\$1) with delay) and deskew\$3) or (((clock near4 flip-flop\$1) with delay) and (align\$4 near4 data)))	USPAT; EPO; DERWENT	2004/05/03 16:14
-	9	((clock near4 flip-flop\$1) with delay) and (decreas\$3 near4 skew)	USPAT; EPO; DERWENT	2004/05/03 16:18
-	6	((clock near4 latch\$2) with flip-flop\$1) and (lower\$3 near4 skew)	USPAT; EPO; DERWENT	2004/05/03 16:20

-	27	((clock near4 latch\$2) with flip-flop\$1) and (eliminat\$3 near4 skew)	USPAT; EPO; DERWENT	2004/05/03 16:22
-	66	((clock near4 latch\$2) with flip-flop\$1) and (minimiz\$5 near4 skew)	USPAT; EPO; DERWENT	2004/05/03 16:23
-	63	((((clock near4 latch\$2) with flip-flop\$1) and (minimiz\$5 near4 skew)) not (((clock near4 flip-flop\$1) with delay) and (reduc\$4 near4 skew)) not (((clock near4 flip-flop\$1) with delay) and deskew\$3) or (((clock near4 flip-flop\$1) with delay) and (align\$4 near4 data))))	USPAT; EPO; DERWENT	2004/05/03 16:23
-	59	((((clock near4 latch\$2) with flip-flop\$1) and (minimiz\$5 near4 skew)) not (((clock near4 flip-flop\$1) with delay) and (reduc\$4 near4 skew)) not (((clock near4 flip-flop\$1) with delay) and deskew\$3) or (((clock near4 flip-flop\$1) with delay) and (align\$4 near4 data)))) not (((clock near4 latch\$2) with flip-flop\$1) and (eliminat\$3 near4 skew))	USPAT; EPO; DERWENT	2004/05/04 08:05
-	2	("6333650").PN.	USPAT; EPO; DERWENT	2004/05/03 16:42
-	2	("5821826").PN.	USPAT; EPO; DERWENT	2004/05/03 16:42
-	2	("6430696").PN.	USPAT; EPO; DERWENT	2004/05/04 08:38
-	2	("6298465").PN.	USPAT; EPO; DERWENT	2004/05/04 08:39
-	2	("6430725").PN.	USPAT; EPO; DERWENT	2004/05/04 09:44
-	173	(select\$3 near2 latch\$2) near8 delay	USPAT; EPO; DERWENT	2004/05/04 13:22
-	46	((select\$3 near2 latch\$2) near8 delay) and skew\$3	USPAT; EPO; DERWENT	2004/05/04 10:31
-	1	(select\$3 near2 latch\$2) near8 (propagation near2 time)	USPAT; EPO; DERWENT	2004/05/04 10:30
-	5	((select\$3 near2 latch\$2) near8 delay) and deskew\$3	USPAT; EPO; DERWENT	2004/05/04 10:31
-	1	(select\$3 near2 flip-flop\$1) with (depend\$3 near4 delay)	USPAT; EPO; DERWENT	2004/05/04 11:05
-	5	(select\$3 near2 flip-flop\$1) with (respon\$4 near4 delay)	USPAT; EPO; DERWENT	2004/05/04 11:05
-	125	(select\$3 near2 flip-flop\$1) near8 delay	USPAT; EPO; DERWENT	2004/05/04 13:03
-	702	bypass\$3 near4 latch\$2	USPAT; EPO; DERWENT	2004/05/04 13:03
-	42	(bypass\$3 near4 latch\$2) with delay	USPAT; EPO; DERWENT	2004/05/04 13:03
-	956	(select\$3 near4 path) near8 delay	USPAT; EPO; DERWENT	2004/05/04 14:30
-	47	((select\$3 near4 path) near8 delay) and (compensat\$3 near3 variations)	USPAT; EPO; DERWENT	2004/05/04 13:31

-	152	((select\$3 near4 path) near8 delay) and (\$3skew\$3)	USPAT; EPO; DERWENT	2004/05/04 14:05
-	2	("6512761").PN.	USPAT; EPO; DERWENT	2004/05/04 14:05
-	26	((select\$3 near4 path) near8 delay) and (align\$4 near4 data)	USPAT; EPO; DERWENT	2004/05/04 14:30